

Publications 2011

Cluster randomized trial to evaluate the impact of team training on surgical outcomes.

Duclos A, Peix JL, Piriou V, Occelli P, Denis A, Bourdy S, Carty MJ, Gawande AA, Debouck F, Vacca C, Lifante JC, Colin C; IDILIC Study Group.
Br J Surg. 2016 Dec;103(13):1804-1814. doi: 10.1002/bjs.10295. Epub 2016 Sep 19.

Long-term survival after adrenalectomy for stage I/II adrenocortical carcinoma (ACC): a retrospective comparative cohort study of laparoscopic versus open approach.

Donatini G, Caiazzo R, Do Cao C, Aubert S, Zerrweck C, El-Kathib Z, Gauthier T, Leteurtre E, Wemeau JL, Vantyghem MC, Carnaille B, **Pattou F**.
Ann Surg Oncol. 2014 Jan;21(1):284-91. doi: 10.1245/s10434-013-3164-6. Epub 2013 Sep 18.

Adjustable gastric banding, sleeve gastrectomy or gastric bypass. Can evidence-based medicine help us to choose?

Caiazzo R, **Pattou F**.
J Visc Surg. 2013 Apr;150(2):85-95. doi: 10.1016/j.jviscsurg.2013.03.011. Epub 2013 Apr 23. Review.

International workshop: islet transplantation without borders enabling islet transplantation in Greece with international collaboration and innovative technology.

Papas KK, Karatzas T, Berney T, Minor T, Pappas P, **Pattou F**, Shaw J, Toso C, Schuurman HJ.
Clin Transplant. 2013 Mar-Apr;27(2):E116-25. doi: 10.1111/ctr.12066. Epub 2013 Jan 18.

Early prediction of failure to lose weight after obesity surgery.

Ritz P, Caiazzo R, Becouarn G, Arnalsteen L, Andrieu S, Topart P, **Pattou F**.
Surg Obes Relat Dis. 2013 Jan-Feb;9(1):118-21. doi: 10.1016/j.sobrd.2011.10.022. Epub 2011 Nov 26.

Low-frequency variants in HMGA1 are not associated with type 2 diabetes risk.

Marquez M, Huyvaert M, Perry JR, Pearson RD, Falchi M, Morris AP, Vivequin S, Lobbens S, Yengo L, Gaget S, **Pattou F**, Poulain-Godefroy O, Charpentier G, Carlsson LM, Jacobson P, Sjöström L, Lantieri O, Heude B, Walley A, Balkau B, Marre M, Froguel P, Cauchi S; DIAGRAM Consortium.
Diabetes. 2012 Feb;61(2):524-30. doi: 10.2337/db11-0728. Epub 2011 Dec 30.

Heterozygous mutations causing partial prohormone convertase 1 deficiency contribute to human obesity.

Creemers JW, Choquet H, Stijnen P, Vatin V, Pigeyre M, Beckers S, Meulemans S, Than ME, Yengo L, Tauber M, Balkau B, Elliott P, Jarvelin MR, Van Hul W, Van Gaal L, Horber F, **Pattou F**, Froguel P, Meyre D.
Diabetes. 2012 Feb;61(2):383-90. doi: 10.2337/db11-0305. Epub 2011 Dec 30.

Impaired alternative macrophage differentiation of peripheral blood mononuclear cells from obese subjects.

Bories G, Caiazzo R, Derudas B, Copin C, Raverdy V, Pigeyre M, **Pattou F**, Staels B, Chinetti-Gbaguidi G.

Diab Vasc Dis Res. 2012 Jul;9(3):189-95. doi: 10.1177/1479164111430242. Epub 2011 Dec

Genome-wide association study identifies loci influencing concentrations of liver enzymes in plasma.

Chambers JC, Zhang W, Sehmi J, Li X, Wass MN, Van der Harst P, Holm H, Sanna S, Kavousi M, Baumeister SE, Coin LJ, Deng G, Gieger C, Heard-Costa NL, Hottenga JJ, Künnel B, Kumar V, Lagou V, Liang L, Luan J, Vidal PM, Mateo Leach I, O'Reilly PF, Peden JF, Rahmioglu N, Soininen P, Speliotes EK, Yuan X, Thorleifsson G, Alizadeh BZ, Atwood LD, Borecki IB, Brown MJ, Charoen P, Cucca F, Das D, de Geus EJ, Dixon AL, Döring A, Ehret G, Eyjolfsson GI, Farrall M, Forouhi NG, Friedrich N, Goessling W, Gudbjartsson DF, Harris TB, Hartikainen AL, Heath S, Hirschfield GM, Hofman A, Homuth G, Hyppönen E, Janssen HL, Johnson T, Kangas AJ, Kema IP, Kühn JP, Lai S, Lathrop M, Lerch MM, Li Y, Liang TJ, Lin JP, Loos RJ, Martin NG, Moffatt MF, Montgomery GW, Munroe PB, Musunuru K, Nakamura Y, O'Donnell CJ, Olafsson I, Penninx BW, Pouta A, Prins BP, Prokopenko I, Puls R, Ruokonen A, Savolainen MJ, Schlessinger D, Schouten JN, Seedorf U, Sen-Chowdhry S, Siminovitch KA, Smit JH, Spector TD, Tan W, Teslovich TM, Tukiainen T, Uitterlinden AG, Van der Klauw MM, Vasan RS, Wallace C, Wallaschofski H, Wichmann HE, Willemsen G, Würtz P, Xu C, Yerges-Armstrong LM; Alcohol Genome-wide Association (AlcGen) Consortium; Diabetes Genetics Replication and Meta-analyses (DIAGRAM+) Study; Genetic Investigation of Anthropometric Traits (GIANT) Consortium; Global Lipids Genetics Consortium; Genetics of Liver Disease (GOLD) Consortium; International Consortium for Blood Pressure (ICBP-GWAS); Meta-analyses of Glucose and Insulin-Related Traits Consortium (MAGIC), Abecasis GR, Ahmadi KR, Boomsma DI, Caulfield M, Cookson WO, van Duijn CM, Froguel P, Matsuda K, McCarthy MI, Meisinger C, Mooser V, Pietiläinen KH, Schumann G, Snieder H, Sternberg MJ, Stolk RP, Thomas HC, Thorsteinsdóttir U, Uda M, Waeber G, Wareham NJ, Waterworth DM, Watkins H, Whitfield JB, Witteman JC, Wolffenbuttel BH, Fox CS, Ala-Korpela M, Stefansson K, Vollenweider P, Völzke H, Schadt EE, Scott J, Järvelin MR, Elliott P, Kooner JS.

Nat Genet. 2011 Oct 16;43(11):1131-8. doi: 10.1038/ng.970.

Impaired expression of the inducible cAMP early repressor accounts for sustained adipose CREB activity in obesity.

Favre D, Le Gouill E, Fahmi D, Verdumo C, Chinetti-Gbaguidi G, Staels B, Caiazzo R, **Pattou F**, Lê KA, Tappy L, Regazzi R, Giusti V, Vollenweider P, Waeber G, Abderrahmani A.

Diabetes. 2011 Dec;60(12):3169-74. doi: 10.2337/db10-1743. Epub 2011 Oct 12.

Downregulation of the tumour suppressor p16INK4A contributes to the polarisation of human macrophages toward an adipose tissue macrophage (ATM)-like phenotype.

Fuentes L, Wouters K, Hannou SA, Cudejko C, Rigamonti E, Mayi TH, Derudas B, **Pattou F**, Chinetti-Gbaguidi G, Staels B, Paumelle R.

Diabetologia. 2011 Dec;54(12):3150-6. doi: 10.1007/s00125-011-2324-0. Epub 2011 Oct 4.

The Lin28/let-7 axis regulates glucose metabolism.

Zhu H, Shyh-Chang N, Segrè AV, Shinoda G, Shah SP, Einhorn WS, Takeuchi A, Engreitz JM, Hagan JP, Kharas MG, Urbach A, Thornton JE, Triboulet R, Gregory RI; DIAGRAM Consortium; MAGIC Investigators, Altshuler D, Daley GQ.

Cell. 2011 Sep 30;147(1):81-94. doi: 10.1016/j.cell.2011.08.033.

Genome-wide association identifies nine common variants associated with fasting proinsulin levels and provides new insights into the pathophysiology of type 2 diabetes.

Strawbridge RJ, Dupuis J, Prokopenko I, Barker A, Ahlgqvist E, Rybin D, Petrie JR, Travers ME, Bouatia-Naji N, Dimas AS, Nica A, Wheeler E, Chen H, Voight BF, Taneera J, Kanoni S, Peden JF, Turrini F, Gustafsson S, Zabena C, Almgren P, Barker DJ, Barnes D, Dennison EM, Eriksson JG, Eriksson P, Eury E, Folkersen L, Fox CS, Frayling TM, Goel A, Gu HF, Horikoshi M, Isomaa B, Jackson AU, Jameson KA, Kajantie E, Kerr-Conte J, Kuulasmaa T, Kuusisto J, Loos RJ, Luan J, Makrilia K, Manning AK, Martínez-Larrad MT, Narisu N, Nastase Mannila M, Ohrvik J, Osmond C, Pascoe L, Payne F, Sayer AA, Sennblad B, Silveira A, Stancáková A, Stirrups K, Swift AJ, Syvänen AC, Tuomi T, van 't Hooft FM, Walker M, Weedon MN, Xie W, Zethelius B; DIAGRAM Consortium; GIANT Consortium; MuTHER Consortium; CARDIoGRAM Consortium; C4D Consortium, Ongen H, Mälarstig A, Hopewell JC, Saleheen D, Chambers J, Parish S, Danesh J, Kooner J, Ostenson CG, Lind L, Cooper CC, Serrano-Ríos M, Ferrannini E, Forsen TJ, Clarke R, Franzosi MG, Seedorf U, Watkins H, Froguel P, Johnson P, Deloukas P, Collins FS, Laakso M, Dermitzakis ET, Boehnke M, McCarthy MI, Wareham NJ, Groop L, **Pattou F**, Gloyn AL, Dedoussis GV, Lyssenko V, Meigs JB, Barroso I, Watanabe RM, Ingelsson E, Langenberg C, Hamsten A, Florez JC.

Diabetes. **2011** Oct;60(10):2624-34. doi: 10.2337/db11-0415. Epub **2011** Aug 26.

[Study of the benefits after body contouring surgery at the university hospital in Lille].

Gahagnon T, Guerreschi P, **Pattou F**, Martinot-Duquennoy V.
Ann Chir Plast Esthet. **2011** Aug;56(4):298-307. doi: 10.1016/j.anplas.2011.05.001.
Epub **2011** Jul 7. French.

Disruption of a novel Kruppel-like transcription factor p300-regulated pathway for insulin biosynthesis revealed by studies of the c.-331 INS mutation found in neonatal diabetes mellitus.

Bonnefond A, Lomberk G, Buttar N, Busiah K, Vaillant E, Lobbens S, Yengo L, Dechaume A, Mignot B, Simon A, Scharfmann R, Neve B, Tanyolaç S, Hodoglugil U, **Pattou F**, Cavé H, Iovanna J, Stein R, Polak M, Vaxillaire M, Froguel P, Urrutia R.
J Biol Chem. **2011** Aug 12;286(32):28414-24. doi: 10.1074/jbc.M110.215822. Epub **2011** May 18.

The liver receptor homolog-1 (LRH-1) is expressed in human islets and protects {beta}-cells against stress-induced apoptosis.

Baquié M, St-Onge L, Kerr-Conte J, Cobo-Vuilleumier N, Lorenzo PI, Jimenez Moreno CM, Cederroth CR, Nef S, Borot S, Bosco D, Wang H, Marchetti P, **Pattou F**, Wollheim CB, Gauthier BR.
Hum Mol Genet. **2011** Jul 15;20(14):2823-33. doi: 10.1093/hmg/ddr193. Epub **2011** May 2.

Validation of noninvasive biomarkers (FibroTest, SteatoTest, and NashTest) for prediction of liver injury in patients with morbid obesity.

Lassailly G, Caiazzo R, Hollebecque A, Buob D, Leteurtre E, Arnalsteen L, Louvet A, Pigeyre M, Raverdy V, Verkindt H, Six MF, Eberle C, Patrice A, Dharancy S, Romon M, **Pattou F**, Mathurin P.
Eur J Gastroenterol Hepatol. **2011** Jun;23(6):499-506. doi: 10.1097/MEG.0b013e3283464111.

Diabetes cell therapy: a decade later.

Vantyghem MC, Balavoine AS, Caiazzo R, Kerr-Conte J, Noel C, **Pattou F**.
Minerva Endocrinol. **2011** Mar;36(1):23-39. Review.

Genome-wide association analysis identifies variants associated with nonalcoholic fatty liver disease that have distinct effects on metabolic traits.

Speliotes EK, Yerges-Armstrong LM, Wu J, Hernaez R, Kim LJ, Palmer CD, Gudnason V, Eiriksdottir G, Garcia ME, Launer LJ, Nalls MA, Clark JM, Mitchell BD, Shuldiner AR, Butler JL, Tomas M, Hoffmann U, Hwang SJ, Massaro JM, O'Donnell CJ, Sahani DV, Salomaa V, Schadt EE, Schwartz SM, Siscovick DS; NASH CRN; GIANT Consortium; MAGIC Investigators, Voight BF, Carr JJ, Feitosa MF, Harris TB, Fox CS, Smith AV, Kao WH, Hirschhorn JN, Borecki IB; GOLD Consortium.

PLoS Genet. **2011** Mar;7(3):e1001324. doi: 10.1371/journal.pgen.1001324. Epub **2011** Mar 10.

TCF7L2 splice variants have distinct effects on beta-cell turnover and function.

Le Bacquer O, Shu L, Marchand M, Neve B, Paroni F, Kerr Conte J, **Pattou F**, Froguel P, Maedler K.

Hum Mol Genet. **2011** May 15;20(10):1906-15. doi: 10.1093/hmg/ddr072. Epub **2011** Feb 28.

PPAR β/δ activation induces enteroendocrine L cell GLP-1 production.

Daoudi M, Hennuyer N, Borland MG, Touche V, Duhem C, Gross B, Caiazzo R, Kerr-Conte J, **Pattou F**, Peters JM, Staels B, Lestavel S.

Gastroenterology. **2011** May;140(5):1564-74. doi: 10.1053/j.gastro.2011.01.045.

Epub **2011** Feb 4.

Liver X Receptor (LXR) activation negatively regulates visfatin expression in macrophages.

Mayi TH, Rigamonti E, **Pattou F**, Staels B, Chinetti-Gbaguidi G.

Biochem Biophys Res Commun. **2011** Jan 7;404(1):458-62. doi: 10.1016/j.bbrc.2010.12.002.

Epub 2010 Dec 8.

Adenylyl cyclase 8 is central to glucagon-like peptide 1 signalling and effects of chronically elevated glucose in rat and human pancreatic beta cells.

Roger B, Papin J, Vacher P, Raoux M, Mulot A, Dubois M, Kerr-Conte J, Voy BH, **Pattou F**, Charpentier G, Jonas JC, Moustaid-Moussa N, Lang J.

Diabetologia. **2011** Feb;54(2):390-402. doi: 10.1007/s00125-010-1955-x. Epub 2010 Nov 3.

Partial graft recovery following eradication of hepatitis E virus infection after successful islet allograft transplantation.

Vantyghem MC, Mathurin P, Hober D, Bocket L, Balavoine AS, Lazrek M, Dharancy S, Leteurtre E, Kerr-Conte J, **Pattou F**.

Transpl Int. **2011** Jan;24(1):e13-5. doi: 10.1111/j.1432-2277.2010.01170.x. Epub 2010 Oct 7.
No abstract available.